Collomix

COLOR UP
YOUR
LIFESTYLE

ROTOGEN 2

CAR PAINT
SIMPLY MIXED
TO PERFECTION

MADE IN
GERMANY

Optimized mixing speed
due to 4 digital speed levels

More power –
top results even when
using heavy containers

Increased stability

THE STANDARD IN THE MIXING BOOTH

Excellent mixing results
Ideal for use in auto body shops and collision repair centers

Cost and time savings
Replaces time-consuming stirring by hand

Ultimate color precision
Perfect and foam-free mixing results

Reliable color consistency
Even with metallic paints that are difficult to mix

Economical
Avoid costly reworking due to mixing problems

Greater mixing performance
Increased stability at higher speeds. Best used in combination with the ROTOGEN BASE 2.

Technical data

Learn more:

CAN SPECIFICATIONS	
Mixing weight	up to 4.4 lbs
Mixing capacity	**1.7 - 33.8 fl. oz.**
Max. container diameter	4.33 in
Type of containers	round / oval / metal / plastic
Additional containers	wide variety of adapters available
PERFORMANCE	
Voltage / frequency	120 V / 60 Hz (optional 120 V/60 Hz)
Power	60 VA
Speed	**250 • 290 • 320 • 340 rpm**
HANDLING	
Mixing times	freely selectable
Safety	Auto-stop function
SHIPPING / INSTALLATION	
Machine dimensions (w x d x h)	14.2 x 16.5 x 11.8 in
Machine weight	30.2 lbs
Packaging dimensions (w x d x h)	16.9 x 19.3 x 12.6 in
Packaging weight	38.1 lbs

Accessories and adapters

The Rotogen 2 is available with two different adapter containers (holding cups):

Standard holding cup in turquoise *(Ref. No. 72850)*:
for mixing quantities from ***0 - 2.2 lbs***

Optional holding cup in black *(Ref. No. 72851)*:
for mixing quantities from ***2.2 - 4.4 lbs***

» Collomix offers adapters for all standard mixing paint cans and mixing cup systems for paint guns, e.g. from SATA, 3M and many more

» You can find the appropriate adapters in the “ROTOGEN 2- Accessories and adapters” sheet or scan the QR code

Accessories and adapters

Your Distributors

Collomix North America
P.O. Box 13007
Milwaukee, WI 53213

P: 414 471 3883
E: office@collomix.com

www.collomix.com

© Collomix GmbH, last review 05/2025, subject to technical changes, 07159-040 EN-US